


Q-Flex™

UNIQUE KINK-RESISTANT FLEXIBLE RISER

Innovative flexible solution to connect driplines to sub mains. Unique solution for dripline riser take-offs, suits both surface and sub-surface applications.



Kink-free



Pre-assembled



Reduced labor cost

/ Benefits & Features




- ✓ Prevent local pressure losses or flow restriction, thanks to kink-resistance
- ✓ Versatile pre-assembled options for thin wall, medium wall and heavy wall driplines
- ✓ Saves labor, simplifies and shortens the installation process
- ✓ Configurable for diverse connectors options, customizable for connecting driplines to grommet take-offs or threaded connections in sub mains

/ Specifications


	Q-Flex™ HP	Q-Flex™ LP
Materials	UV resistant corrugated Polypropylene	
Diameter (mm)	20	16
Maximum Pressure	4bar (0 - 40 c°)	2.8bar (0 - 40 c°)
Elongation	<3% 4bar	<3% 2.8bar
Minimum kink radius (with buckling)	31.5mm	

Q-Flex™

→ Q-Flex™ Complementary Products

Illustration	Product Description	Catalog Number
	Elbow ½" FTH - ½" MTH W self seal	76200-012500
	Tee ½" FTH ½" MTH ½" FTH W self seal	78220-003390
	Coupling 20 x 20 (to repair corrugated pipe Q-Flex™ HP)	75000-001010
	Coupling 16 x 16 (to repair corrugated pipe Q-Flex™ LP)	75000-001000

→ Q-Flex™ HP Head Loss, 1.0meter Length




→ Q-Flex™ HP Package Data

Pipe Length (m)	Quantity P/Box (units)	Box Dimensions (cm x cm x cm)	Box Weight* (Approximate) (kg)	Boxes P/Pallet (units)	Pallets P/20' Container
0.30	400	190.0 x 28.5 x 28.0	29	12	12
0.60	200	145.0 x 28.5 x 28.0	17	12	16
0.75	200	190.0 x 28.5 x 28.0	19	12	12
1.00	100	130.0 x 28.5 x 28.0	12	12	16
1.20	100	130.0 x 28.5 x 28.0	14	12	16
1.50	100	190.0 x 28.5 x 28.0	17	12	12
1.80	100	190.0 x 28.5 x 28.0	19	12	12


→ Q-Flex™ HP Description Guide

Flowchart to determine the desired product definition

How to use: To determine the desired product definition select one from every set of options displayed on the chart.



Illustrations are illustrative only. Not shown to scale or in actual colors.
 Q-Flex™ HP unit of measurement - Carton

Illustration			Description	Catalog Number
			QFLEX HP 0.60M IC0.5MTHW OCFR22 200/C	32010-002500
			QFLEX HP 0.75M IC0.5MTHW OCFR22 200/C	32010-003020
			QFLEX HP 1.00M IC0.5MTHW OCFR22 100/C	32010-002501
			QFLEX HP 1.20M IC0.5MTHW OCFR22 100/C	32010-002502
			QFLEX HP 1.50M IC0.5MTHW OCFR22 100/C	32010-002503
Inlet Connector Male Threaded Connector 1/2"	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Fast Ring 22 W/Ring	QFLEX HP 1.80M IC0.5MTHW OCFR22 100/C	32010-002504

Suitable up to 0.38mm (15.0mil)


Illustration			Description	Catalog Number
			QFLEX HP 0.60M IC0.5MTHW OCTL22 200/C	32010-002520
			QFLEX HP 0.75M IC0.5MTHW OCTL22 200/C	32010-003021
			QFLEX HP 1.00M IC0.5MTHW OCTL22 100/C	32010-002521
			QFLEX HP 1.20M IC0.5MTHW OCTL22 100/C	32010-002522
			QFLEX HP 1.50M IC0.5MTHW OCTL22 100/C	32010-002523
Inlet Connector Male Threaded Connector 1/2"	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Twist Lock 22	QFLEX HP 1.80M IC0.5MTHW OCTL22 100/C	32010-002524


Illustration			Description	Catalog Number
			QFLEX HP 0.60M IC0.5MTHW OCWITI 200/C	32010-002540
			QFLEX HP 0.75M IC0.5MTHW OCWITI 200/C	32010-003022
			QFLEX HP 1.00M IC0.5MTHW OCWITI 100/C	32010-002541
			QFLEX HP 1.20M IC0.5MTHW OCWITI 100/C	32010-002542
			QFLEX HP 1.50M IC0.5MTHW OCWITI 100/C	32010-002543
Inlet Connector Male Threaded Connector 1/2"	Corrugated Pipe + 1 Assembled Sleeve	Outlet Connector Wire Tie	QFLEX HP 1.80M IC0.5MTHW OCWITI 100/C	32010-002544



Illustration			Description	Catalog Number
			QFLEX HP 0.60M IC0.5MTHW OCFR16BL 200/C	32010-002728
			QFLEX HP 0.75M IC0.5MTHW OCFR16BL 200/C	32010-003038
			QFLEX HP 1.00M IC0.5MTHW OCFR16BL 100/C	32010-002731
			QFLEX HP 1.20M IC0.5MTHW OCFR16BL 100/C	32010-002732
			QFLEX HP 1.50M IC0.5MTHW OCFR16BL 100/C	32010-002733
Inlet Connector Male Threaded Connector 1/2"	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Fast Ring 16	QFLEX HP 1.80M IC0.5MTHW OCFR16BL 100/C	32010-002734

Illustration			Description	Catalog Number
			QFLEX HP 0.60M IC0.5MTHW OCBA16 200/C	32010-002640
			QFLEX HP 0.75M IC0.5MTHW OCBA16 200/C	32010-003029
			QFLEX HP 1.00M IC0.5MTHW OCBA16 100/C	32010-002641
			QFLEX HP 1.20M IC0.5MTHW OCBA16 100/C	32010-002642
			QFLEX HP 1.50M IC0.5MTHW OCBA16 100/C	32010-002643
Inlet Connector Male Threaded Connector 1/2"	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Barb 16	QFLEX HP 1.80M IC0.5MTHW OCBA16 100/C	32010-002644

Illustrations are illustrative only. Not shown to scale or in actual colors.


Illustration			Description	Catalog Number
			QFLEX HP 0.60M IC0.5MTHW OCBA20 200/C	32010-002660
			QFLEX HP 0.75M IC0.5MTHW OCBA20 200/C	32010-003031
			QFLEX HP 1.00M IC0.5MTHW OCBA20 100/C	32010-002661
			QFLEX HP 1.20M IC0.5MTHW OCBA20 100/C	32010-002662
			QFLEX HP 1.50M IC0.5MTHW OCBA20 100/C	32010-002663
Inlet Connector Male Threaded Connector 1/2"	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Barb 20	QFLEX HP 1.80M IC0.5MTHW OCBA20 100/C	32010-002664



Illustration			Description	Catalog Number
			QFLEX HP 0.60M IC0.5MTHW OCDLTLT22 200/C	32010-002506
			QFLEX HP 0.75M IC0.5MTHW OCDLTLT22 200/C	32010-002507
			QFLEX HP 1.00M IC0.5MTHW OCDLTLT22 100/C	32010-002508
			QFLEX HP 1.20M IC0.5MTHW OCDLTLT22 100/C	32010-002509
Inlet Connector Male Threaded Connector 1/2"	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector DL Valve Twist Lock 22		

Illustration			Description	Catalog Number
			QFLEX HP 0.60M IC0.75MTH OCFR22 200/C	32010-002560
			QFLEX HP 0.75M IC0.75MTH OCFR22 200/C	32010-003023
			QFLEX HP 1.00M IC0.75MTH OCFR22 100/C	32010-002561
			QFLEX HP 1.20M IC0.75MTH OCFR22 100/C	32010-002562
			QFLEX HP 1.50M IC0.75MTH OCFR22 100/C	32010-002563
Inlet Connector Male Threaded Connector 3/4"	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Fast Ring 22 W/Ring	QFLEX HP 1.80M IC0.75MTH OCFR22 100/C	32010-002564

Suitable up to 0.38mm (15.0 mil)


Illustration			Description	Catalog Number
			QFLEX HP 0.60M IC0.75MTH OCTL22 160/C	32010-002580
			QFLEX HP 0.75M IC0.75MTH OCTL22 160/C	32010-003024
			QFLEX HP 1.00M IC0.75MTH OCTL22 80/C	32010-002581
			QFLEX HP 1.20M IC0.75MTH OCTL22 80/C	32010-002582
			QFLEX HP 1.50M IC0.75MTH OCTL22 80/C	32010-002583
Inlet Connector Male Threaded Connector 3/4"	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Twist Lock 22	QFLEX HP 1.80M IC0.75MTH OCTL22 80/C	32010-002584


Illustration			Description	Catalog Number
			QFLEX HP 0.60M IC0.75MTH OCWITI 200/C	32010-002600
			QFLEX HP 0.75M IC0.75MTH OCWITI 200/C	32010-003025
			QFLEX HP 1.00M IC0.75MTH OCWITI 100/C	32010-002601
			QFLEX HP 1.20M IC0.75MTH OCWITI 100/C	32010-002602
			QFLEX HP 1.50M IC0.75MTH OCWITI 100/C	32010-002603
Inlet Connector Male Threaded Connector 3/4"	Corrugated Pipe + 1 Assembled Sleeves	Outlet Connector Wire Tie	QFLEX HP 1.80M IC0.75MTH OCWITI 100/C	32010-220604


Illustration			Description	Catalog Number
			QFLEX HP 0.60M IC0.75MTH OCBA16 200/C	32010-002670
			QFLEX HP 0.75M IC0.75MTH OCBA16 200/C	32010-003032
			QFLEX HP 1.00M IC0.75MTH OCBA16 100/C	32010-002671
			QFLEX HP 1.20M IC0.75MTH OCBA16 100/C	32010-002672
			QFLEX HP 1.50M IC0.75MTH OCBA16 100/C	32010-002673
			QFLEX HP 1.80M IC0.75MTH OCBA16 100/C	32010-002674
Inlet Connector Male Threaded Connector 3/4"	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Barb 16		


Illustration			Description	Catalog Number
			QFLEX HP 0.60M IC0.75MTH OCBA20 200/C	32010-002690
			QFLEX HP 0.75M IC0.75MTH OCBA20 200/C	32010-003034
			QFLEX HP 1.00M IC0.75MTH OCBA20 100/C	32010-002691
			QFLEX HP 1.20M IC0.75MTH OCBA20 100/C	32010-002692
			QFLEX HP 1.50M IC0.75MTH OCBA20 100/C	32010-002693
			QFLEX HP 1.80M IC0.75MTH OCBA20 100/C	32010-002694
Inlet Connector Male Threaded Connector 3/4"	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Barb 20		


Illustration			Description	Catalog Number
			QFLEX HP 0.30M IC0.75MTH OC0.75MTH 400/C	32010-002851
			QFLEX HP 0.60M IC0.75MTH OC0.75MTH 200/C	32010-002490
			QFLEX HP 0.75M IC0.75MTH OC0.75MTH 200/C	32010-003047
			QFLEX HP 1.00M IC0.75MTH OC0.75MTH 100/C	32010-002559
			QFLEX HP 1.20M IC0.75MTH OC0.75MTH 100/C	32010-002495
			QFLEX HP 1.50M IC0.75MTH OC0.75MTH 100/C	32010-002605
Inlet Connector Male Threaded Connector 3/4"	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Male Threaded Connector 3/4"	QFLEX HP 1.80M IC0.75MTH OC0.75MTH 100/C	32010-002505



Illustration			Description	Catalog Number
			QFLEX HP 0.30M IC0.75MTH OC0.75FTH 400/C	32010-002852
			QFLEX HP 0.60M IC0.75MTH OC0.75FTH 200/C	32010-002491
			QFLEX HP 0.75M IC0.75MTH OC0.75FTH 200/C	32010-003048
			QFLEX HP 1.00M IC0.75MTH OC0.75FTH 100/C	32010-002565
			QFLEX HP 1.20M IC0.75MTH OC0.75FTH 100/C	32010-002496
			QFLEX HP 1.50M IC0.75MTH OC0.75FTH 100/C	32010-002606
Inlet Connector Male Threaded Connector 3/4"	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Female Threaded Connector 3/4"	QFLEX HP 1.80M IC0.75MTH OC0.75FTH 100/C	32010-002695

Illustration			Description	Catalog Number
			QFLEX HP 0.60M ICPVC OCFR22 200/C	32010-002610
			QFLEX HP 0.75M ICPVC OCFR22 200/C	32010-003026
			QFLEX HP 1.00M ICPVC OCFR22 100/C	32010-002635
			QFLEX HP 1.20M ICPVC OCFR22 100/C	32010-002612
			QFLEX HP 1.50M ICPVC OCFR22 100/C	32010-002613
			QFLEX HP 1.80M ICPVC OCFR22 100/C	32010-002614
Inlet Connector PVC Start Connector W/Seal MT	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Fast Ring 22 W/Ring		

Suitable up to 0.38mm (15.0 mil)

Illustration		Description	Catalog Number
		QFLEX HP 0.60M ICPVC OCFR22W/OR 200/C	32010-002725
		QFLEX HP 0.75M ICPVC OCFR22W/OR 200/C	32010-003100
		QFLEX HP 1.00M ICPVC OCFR22W/OR 100/C	32010-003101
		QFLEX HP 1.20M ICPVC OCFR22W/OR 100/C	32010-002357
		QFLEX HP 1.50M ICPVC OCFR22W/OR 100/C	32010-003102
		QFLEX HP 1.80M ICPVC OCFR22W/OR 100/C	32010-003103
Inlet Connector PVC Start Connector W/Seal MT	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Fast Ring 22 W/O Ring	

White Rings 32500-017740 should be ordered separately


Illustration		Description	Catalog Number
		QFLEX HP 0.60M ICPVC OCTL22 200/C	32010-002620
		QFLEX HP 0.75M ICPVC OCTL22 200/C	32010-003027
		QFLEX HP 1.00M ICPVC OCTL22 100/C	32010-002621
		QFLEX HP 1.20M ICPVC OCTL22 100/C	32010-002622
		QFLEX HP 1.50M ICPVC OCTL22 100/C	32010-002623
		QFLEX HP 1.80M ICPVC OCTL22 100/C	32010-002624
Inlet Connector PVC Start Connector W/Seal MT	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Twist Lock 22	

Illustration		Description	Catalog Number
		QFLEX HP 0.60M ICPVC OCWITI 200/C	32010-002630
		QFLEX HP 0.75M ICPVC OCWITI 200/C	32010-003028
		QFLEX HP 1.00M ICPVC OCWITI 100/C	32010-002631
		QFLEX HP 1.20M ICPVC OCWITI 100/C	32010-002632
		QFLEX HP 1.50M ICPVC OCWITI 100/C	32010-002633
		QFLEX HP 1.80M ICPVC OCWITI 100/C	32010-002634
Inlet Connector PVC Start Connector W/Seal MT	Corrugated Pipe + 1 Assembled Sleeves	Outlet Connector Wire Tie	

Illustration		Description	Catalog Number
		QFLEX HP 0.60M ICPVC OCBA16 200/C	32010-002700
		QFLEX HP 0.75M ICPVC OCBA16 200/C	32010-003035
		QFLEX HP 1.00M ICPVC OCBA16 100/C	32010-002701
		QFLEX HP 1.20M ICPVC OCBA16 100/C	32010-002702
		QFLEX HP 1.50M ICPVC OCBA16 100/C	32010-002703
		QFLEX HP 1.80M ICPVC OCBA16 100/C	32010-002704
Inlet Connector PVC Start Connector W/Seal MT	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Barb 16	

Illustration		Description	Catalog Number
		QFLEX HP 0.60M ICPVC OCBA20 200/C	32010-002720
		QFLEX HP 0.75M ICPVC OCBA20 200/C	32010-003037
		QFLEX HP 1.00M ICPVC OCBA20 100/C	32010-002721
		QFLEX HP 1.20M ICPVC OCBA20 100/C	32010-002722
		QFLEX HP 1.50M ICPVC OCBA20 100/C	32010-002723
		QFLEX HP 1.80M ICPVC OCBA20 100/C	32010-002724
Inlet Connector PVC Start Connector W/Seal MT	Corrugated Pipe + 2 Assembled Sleeves	Outlet Connector Barb 20	

→ Q-Flex™ LP Head Loss, 1.0meter Length




→ Q-Flex™ LP Package Data

Pipe Length (m)	Quantity P/Box (units)	Box Dimensions (cm x cm x cm)	Box Weight* (Approximate) (kg)	Boxes P/Pallet (units)	Pallets P/20' Container
0.75	300	190.0 x 28.5 x 28.5	21	12	12
0.75	400	190.0 x 28.5 x 28.5	25	12	12
1.00	150	130.0 x 28.5 x 28.5	13	12	16
1.00	200	130.0 x 28.5 x 28.5	15	12	16
1.20	150	130.0 x 28.5 x 28.5	14	12	16
1.20	200	130.0 x 28.5 x 28.5	17	12	16

→ Q-Flex™ LP Description Guide

Flowchart to determine the desired product definition

How to use: To determine the desired product definition select one from every set of options displayed on the chart.



Illustrations are illustrative only. Not shown to scale or in actual colors.
 Q-Flex™ LP unit of measurement - EACH

Illustration	Description	Catalog Number
	QFLEX LP 0.75M IC0.5MTH OCFR16 400/C	32015-000221
	QFLEX LP 1.00M IC0.5MTH OCFR16 200/C	32015-000222
	QFLEX LP 1.20M IC0.5MTH OCFR16 200/C	32015-000223

Inlet Connector	Corrugated Pipe	Outlet Connector
Male Threaded Connector ½"		Fast Ring 16 W/Ring

Suitable up to 0.38mm (15.0mil)

Illustration	Description	Catalog Number
	QFLEX LP 0.75M IC0.5MTH OCFR16W/OR 400/C	32015-000225
	QFLEX LP 1.00M IC0.5MTH OCFR16W/OR 200/C	32015-000226
	QFLEX LP 1.20M IC0.5MTH OCFR16W/OR 200/C	32015-000227

Inlet Connector	Corrugated Pipe	Outlet Connector
Male Threaded Connector ½"		Fast Ring 16 W/O Ring

White Rings 32500-017600 should be ordered separately

Illustration	Description	Catalog Number
	QFLEX LP 0.75M IC0.5MTH OCTL16 300/C	32015-000229
	QFLEX LP 1.00M IC0.5MTH OCTL16 150/C	32015-000230
	QFLEX LP 1.20M IC0.5MTH OCTL16 150/C	32015-000231

Inlet Connector	Corrugated Pipe	Outlet Connector
Male Threaded Connector ½"		Twist Lock 16

Illustration	Description	Catalog Number
	QFLEX LP 0.75M IC0.5MTH OCBA16 400/C	32015-000233
	QFLEX LP 1.00M IC0.5MTH OCBA16 200/C	32015-000234
	QFLEX LP 1.20M IC0.5MTH OCBA16 200/C	32015-000235

Inlet Connector	Corrugated Pipe	Outlet Connector
Male Threaded Connector ½"		Barb 16

Illustration	Description	Catalog Number
	QFLEX LP 0.75M IC0.5MTH OC0.75MTH 300/C	32015-000237
	QFLEX LP 1.00M IC0.5MTH OC0.75MTH 150/C	32015-000238
	QFLEX LP 1.20M IC0.5MTH OC0.75MTH 150/C	32015-000239

Inlet Connector	Corrugated Pipe	Outlet Connector
Male Threaded Connector ½"		Male Threaded Connector ¾"

Illustration	Description	Catalog Number
	QFLEX LP 0.75M IC0.5MTH OCDLTLT16 300/C	32015-000301
	QFLEX LP 1.00M IC0.5MTH OCDLTLT16 150/C	32015-000302
	QFLEX LP 1.20M IC0.5MTH OCDLTLT16 150/C	32015-000303

Inlet Connector	Corrugated Pipe	Outlet Connector
Male Threaded Connector ½"		DL Valve Twist Lock 16




Illustration			Description	Catalog Number
			QFLEX LP 0.75M IC0.5MTH OC0.75FTHL 300/C	32015-000241
			QFLEX LP 1.00M IC0.5MTH OC0.75FTHL 150/C	32015-000242
			QFLEX LP 1.20M IC0.5MTH OC0.75FTHL 150/C	32015-000243
Inlet Connector Male Threaded Connector 1/2"	Corrugated Pipe	Outlet Connector Female Threaded Connector 3/4" W/Swivel		

Illustration			Description	Catalog Number
			QFLEX LP 0.75M IC0.75MTH OCFR16 300/C	32015-000245
			QFLEX LP 1.00M IC0.75MTH OCFR16 150/C	32015-000246
			QFLEX LP 1.20M IC0.75MTH OCFR16 150/C	32015-000247
Inlet Connector Male Threaded Connector 3/4"	Corrugated Pipe	Outlet Connector Fast Ring 16 W/Ring		

Suitable up to 0.38mm (15.0 mil)

Illustration			Description	Catalog Number
			QFLEXLP 0.75M IC0.75MTH OCFR16W/OR 300/C	32015-000249
			QFLEXLP 1.00M IC0.75MTH OCFR16W/OR 150/C	32015-000250
			QFLEXLP 1.20M IC0.75MTH OCFR16W/OR 150/C	32015-000251
Inlet Connector Male Threaded Connector 3/4"	Corrugated Pipe	Outlet Connector Fast Ring 16 W/O Ring		

White Rings 32500-017600 should be ordered separately

Illustration			Description	Catalog Number
			QFLEX LP 0.75M IC0.75MTH OCTL16 300/C	32015-000253
			QFLEX LP 1.00M IC0.75MTH OCTL16 150/C	32015-000254
			QFLEX LP 1.20M IC0.75MTH OCTL16 150/C	32015-000255
Inlet Connector Male Threaded Connector 3/4"	Corrugated Pipe	Outlet Connector Twist Lock 16		

Illustration			Description	Catalog Number
			QFLEX LP 0.75M IC0.75MTH OCBA16 300/C	32015-000257
			QFLEX LP 1.00M IC0.75MTH OCBA16 150/C	32015-000258
			QFLEX LP 1.20M IC0.75MTH OCBA16 150/C	32015-000259
Inlet Connector Male Threaded Connector 3/4"	Corrugated Pipe	Outlet Connector Barb 16		

Illustration			Description	Catalog Number
			QFLEX LP 0.75M IC0.75MTH OC0.75MTH 300/C	32015-000261
			QFLEX LP 1.00M IC0.75MTH OC0.75MTH 150/C	32015-000262
			QFLEX LP 1.20M IC0.75MTH OC0.75MTH 150/C	32015-000263
Inlet Connector Male Threaded Connector 3/4"	Corrugated Pipe	Outlet Connector Male Threaded Connector 3/4"		

Illustrations are illustrative only. Not shown to scale or in actual colors.




Illustration		Description	Catalog Number
		QFLEXLP 0.75M IC0.75MTH OC0.75FTHL 300/C	32015-000265
		QFLEXLP 1.00M IC0.75MTH OC0.75FTHL 150/C	32015-000266
		QFLEXLP 1.20M IC0.75MTH OC0.75FTHL 150/C	32015-000267
Inlet Connector Male Threaded Connector 3/4"	Corrugated Pipe	Outlet Connector Female Threaded Connector 3/4" W/Swivel	

Illustration		Description	Catalog Number
		QFLEX LP 0.75M ICPVC OCFR16 400/C	32015-000269
		QFLEX LP 1.00M ICPVC OCFR16 200/C	32015-000270
		QFLEX LP 1.20M ICPVC OCFR16 200/C	32015-000271
Inlet Connector PVC Start Connector W/Seal MT	Corrugated Pipe	Outlet Connector Fast Ring 16 W/Ring	

Suitable up to 0.38mm (15.0 mil)

Illustration		Description	Catalog Number
		QFLEX LP 0.75M ICPVC OCFR16W/OR 400/C	32015-000273
		QFLEX LP 1.00M ICPVC OCFR16W/OR 200/C	32015-000274
		QFLEX LP 1.20M ICPVC OCFR16W/OR 200/C	32015-000275
Inlet Connector PVC Start Connector W/Seal MT	Corrugated Pipe	Outlet Connector Fast Ring 16 W/O Ring	

White Rings 32500-017600 should be ordered separately


Illustration		Description	Catalog Number
		QFLEX LP 0.75M ICPVC OCTL16 300/C	32015-000277
		QFLEX LP 1.00M ICPVC OCTL16 150/C	32015-000278
		QFLEX LP 1.20M ICPVC OCTL16 150/C	32015-000279
Inlet Connector PVC Start Connector W/Seal MT	Corrugated Pipe	Outlet Connector Twist Lock 16	


Illustration		Description	Catalog Number
		QFLEX LP 0.75M ICPVC OCBA16 400/C	32015-000281
		QFLEX LP 1.00M ICPVC OCBA16 200/C	32015-000282
		QFLEX LP 1.20M ICPVC OCBA16 200/C	32015-000283
Inlet Connector PVC Start Connector W/Seal MT	Corrugated Pipe	Outlet Connector Barb 16	



Illustration		Description	Catalog Number
		QFLEX LP 0.75M ICPVC OC0.75MTH 300/C	32015-000285
		QFLEX LP 1.00M ICPVC OC0.75MTH 150/C	32015-000286
		QFLEX LP 1.20M ICPVC OC0.75MTH 150/C	32015-000287
Inlet Connector PVC Start Connector W/Seal MT	Corrugated Pipe	Outlet Connector Male Threaded Connector 3/4"	

Illustration		Description	Catalog Number
		QFLEX LP 0.75M ICPVC OC0.75FTHL 300/C	32015-000289
		QFLEX LP 1.00M ICPVC OC0.75FTHL 150/C	32015-000290
		QFLEX LP 1.20M ICPVC OC0.75FTHL 150/C	32015-000291
Inlet Connector PVC Start Connector W/Seal MT	Corrugated Pipe	Outlet Connector Female Threaded Connector 3/4" W/Swivel	