



License No. 7444 to mark a commodity with the Standards Mark

The Standards Institution of Israel (SII), in accordance with the powers vested in it by article 11(b) of the Standards law 1953, hereby grants permission to:

Netafim Ltd

Negev mobile post office ,Hatzerim ,Israel

to place the Standards Mark on the commodities covered by the standard:
Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

(list of types attached)

**These commodities are produced in conformity with the requirements of the
Israel Standard No. 1642 Edition May 2005**

This license has been granted subject to the terms of the Standards Regulation (standard mark and supervision sign) 1982, and the terms that the License Committee has determined, which constitute an integral part of this license. This license does not detract from any obligation, or other order, imposed by law on the abovementioned commodities

This certificate remains the property of SII. Its continued validity may be verified via scanning the barcode or via the SII website www.sii.org.il.

This license is valid until 31/12/2025

Date of License : 01/01/2025



R.N 513769091

Dr. Gilad Golub
CEO



The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701



Annex A: License No. 7444

Factory: Netafim Ltd

Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

Models:

1. TIRAN. 16 MM
FLOWRATE: 1.05, 1.5, 1.6, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 0.8, 0.9, 1.0 MM
2. TIRAN. 16 MM
FLOWRATE: 1.05, 1.5, 1.6, 2.0, 2.1, 4.0, 4.2, 8.0, 8.4 L/H
WALL THICKNESS: 1.2 MM
3. TIRAN. 17 MM
FLOWRATE: 1.05, 1.5, 1.6, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 0.8, 0.9, 1.0 MM
4. TIRAN. 17 MM
FLOWRATE: 1.05, 1.6, 2.0, 2.1, 4.0, 4.2, 8.0, 8.4 L/H
WALL THICKNESS: 1.2 MM
5. TIRAN LEACH LINE X 20 MM
FLOWRATE: 1.05, 1.5, 1.6, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 1.0 MM

This license is valid until 31/12/2025

Date of License : 01/01/2025



R.N 513769091

Dr. Gilad Golub
CEO



The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701



Annex A: License No. 7444

Factory: Netafim Ltd

Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

6. TIRAN LEACH LINE X 20 MM
FLOWRATE: 1.05, 1.6, 2.0, 2.1, 4.0, 4.2, 8.0, 8.4 L/H
WALL THICKNESS: 1.2 MM
7. UNIRAM, UNIBIOLINE, UNITECHLINE LEACH LINE U 20 MM
FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 1.0, 1.2 MM
8. UNIRAM, UNIBIOLINE, UNITECHLINE, CNL 20 MM
FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 1.0, 1.2 MM
9. UNIRAM, UNIBIOLINE, UNITECHLINE 17 MM
FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 1.0, 1.2 MM
10. UNIRAM, UNIBIOLINE, UNITECHLINE, CNL 17 MM
FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 1.0, 1.2 MM
11. UNIRAM, UNIBIOLINE, UNITECHLINE LEACH LINE U 16 MM
FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 1.0, 1.2 MM

This license is valid until 31/12/2025

Date of License : 01/01/2025



R.N 513769091

Dr. Gilad Golub
CEO



The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701



Annex A: License No. 7444

Factory: Netafim Ltd

Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

12. UNIRAM, UNIBIOLINE, UNITECHLINE, CNL 16 MM
FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 1.0, 1.2 MM
13. DRIPNET PC. 12 MM
FLOWRAATE: 1.0 L/H
14. DRIPNET PC LEACH LINE D 16 MM
FLOWRAATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.31, 0.38, 0.63, 0.90, 1.0 MM
15. DRIPNET PC 17 MM
FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.90, 1.0 MM
16. DRIPNET PC LEACH LINE D 20 MM
FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.90, 1.0 MM
17. DRIPNET PC 22 MM
FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.31, 0.38, 0.63 MM

This license is valid until 31/12/2025

Date of License : 01/01/2025



R.N 513769091

Dr. Gilad Golub
CEO



The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701



Annex A: License No. 7444

Factory: Netafim Ltd

Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

18. DRIPNET PC 23 MM
FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.90 MM
19. UNIRAM CNL
PIPE DIAMETERS OF 16,17& 20 MM FLOW 1.25 L/H
PIPE DIAMETERS OF 16,17& 20 MM FLOW 2.0 L/H
PIPE DIAMETERS OF 16,17& 20 MM FLOW 2.9 L/H
PIPE DIAMETERS OF 16,17& 20 MM FLOW 4.4 L/H
20. TECHLINE CV 16 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
21. TECHLINE CV 17 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
22. TECHLINE CV 20 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.

This license is valid until 31/12/2025

Date of License : 01/01/2025



R.N 513769091

Dr. Gilad Golub
CEO



The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701



Annex A: License No. 7444

Factory: Netafim Ltd

Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

- 23. BIOLINE AS 16 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 24. BIOLINE AS 17 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 25. BIOLINE AS 20 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 26. TECHNET 16 MM.
FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 27. DRIPWINE 16 MM.
FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 28. DRIPWINE 17 MM.
FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.

This license is valid until 31/12/2025

Date of License : 01/01/2025



R.N 513769091

Dr. Gilad Golub
CEO



The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701



Annex A: License No. 7444

Factory: Netafim Ltd

Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

- 29. DRIPWINE 20 MM.
FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 30. UNIWINE 16 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 31. UNIWINE 17 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 32. UNIWINE 20 MM.
FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 33. LEACH LINE X 16 MM.
FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 34. LEACH LINE X 17 MM.
FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.

This license is valid until 31/12/2025

Date of License : 01/01/2025



R.N 513769091

Dr. Gilad Golub
CEO



The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701



Annex A: License No. 7444

Factory: Netafim Ltd

Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

- 35. ARIES LEACH LINE A 20 MM
FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 36. SCAPELINE 16 MM.
FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H
WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 37. ARIES LEACH LINE A 16 MM
FLOWRATES: 2.0 L/H
- 38. ARIES LEACH LINE A 16 MM
FLOWRATES: 3.0 L/H
- 39. ARIES LEACH LINE A 16 MM
FLOWRATES: 1.0 L/H
- 40. ARIES LEACH LINE A 16 MM
FLOWRATES: 4.0 L/H
- 41. ARIES LEACH LINE A 16 MM
FLOWRATES: 1.5 L/H
- 42. ARIES LEACH LINE A 16 MM
FLOWRATES: 8.0 L/H

This license is valid until 31/12/2025

Date of License : 01/01/2025



R.N 513769091

Dr. Gilad Golub
CEO



The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701



Annex A: License No. 7444

Factory: Netafim Ltd

Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

43. STREAMLINE X 16 mm.
Flow Rate 0.72, 1.05, 1.60, 2.20, 2.80 l/h
W.T 0.20 mm W.T 8 mil
44. STREAMLINE X 22 mm.
Flow Rate 0.72, 1.05, 1.60, 2.20, 2.80 l/h
W.T 0.20 mm W.T 8 mil
45. TYPHOON PLUS 16 mm.
Flow Rate : 0.50, 0.70, 1.00, 1.60, 2.20 L/H
Wall Thickness: 0.15, 0.20, 0.25, 0.31, 0.34 mm.
6, 8, 10, 12.5, 13.5, 15.0 mil
46. TYPHOON PLUS 22 mm.
Flow Rate : 0.50, 0.70, 1.00, 1.60, 2.20 L/H
Wall Thickness: 0.15, 0.20, 0.25, 0.31, 0.34 mm.
6, 8, 10, 12.5, 13.5, 15.0 mil
47. STREAMLINE X 16 mm.
Flow Rate : 0.35, 0.75, 1.05/1.10, 1.60, 2.20,
2.80 L/H
Wall Thickness: 0.13, 0.15, 0.20, 0.25 mm.
5, 6, 8, 10, 12.5 mil

This license is valid until 31/12/2025

Date of License : 01/01/2025



R.N 513769091

Dr. Gilad Golub
CEO



Annex A: License No. 7444

Factory: Netafim Ltd

Commodities: Agricultural Irrigation Equipment- Emitters And Emitting Pipe- Specification And Test Methods

48. STREAMLINE X 22 mm.
Flow Rate : 0.35, 0.75, 1.05/1.10, 1.60, 2.20,
2.80 L/H
Wall Thickness: 0.13, 0.15, 0.20, 0.25 mm.
5, 6, 8, 10, 12.5 mil

This license is valid until 31/12/2025

Date of License : 01/01/2025



R.N 513769091

Dr. Gilad Golub
CEO



The standards Institution of Israel
42 Chaim Levanon St,
Tel-Aviv 6997701